

SPECIFICATION SHEET



PRODUCT # : CL-405-BT-AB

• Directional Lights

• Cast Brass


Fixture Specifications:

| | | | |
|----------------------|--|--------------------------|--|
| Housing: | Corrosion Resistant Cast Brass | Gasket: | Silicone double gasketed for water-tight sealing |
| Finish: | AB- Antique Bronze Natural Toning process, color may vary. Also available in GM- Gun Metal | Knuckle: | Swivel cast brass knuckle with thumb screw and 1/2" NPT threaded male hub on bottom. |
| Lens: | Clear, Convex Glass Lens. 15° & 60° reflectors included (see page 3) | Wiring: | Fixture is prewired with a 10ft 18-2 SPT-2W direct burial cord. Wire connector sold separately. Universal connector (CX-839), and silicone filled wire nut (CX-854) are available from Corona Lighting. |
| Light Source: | Replacable 1-6W RGB LED module. Lumen output is between 15LM - 450LM. Standard 38° beam spread, with 15° & 60° options also included. | Mounting Spike: | Standard injection molded 8 1/2" large spike with 1/2" NPT threaded female hub on bottom. |
| LED Features: | CCT Options: Presets: 2700K, 3000K, 4000K, 5000K RGB : Unlimited color wheel options & quick presets. Dimming: Every color choice Scenes: Customizable scenes with up to 8 colors. Compatibility: Amazon's Alexa and Google Home Music: The lights will follow music collected by a phone microphone. | Electrical Notes: | A remote 12V transformer is required. Options are available from Corona Lighting. Voltage range for LED module is 10V-15V. Proper grease/lubricant is suggested on threaded parts during installation process. |
| | | Warranty: | Lifetime limited warranty on fixture housing. Ten (10) years warranty on LED module. |



SMART ACCESSORIES

CX-BTE Bluetooth Range Extender
CX-BTG Wireless Bluetooth Mesh Gateway



JOB INFORMATION

TYPE: _____ DATE: _____
JOB NAME & ADDRESS: _____
PRODUCT #: _____
TOTAL QUANTITY: _____
LAMP TYPE & WATTAGE: _____
TRANSFORMER: _____
CONTRACTOR: _____
SPECIFIER: _____

ACCESSORIES SHEET


PRODUCT # : CL-405-BT-AB

• Directional Lights

• Cast Brass

Mounting Pedestals



- CX-601-BK 1" PVC Mounting Pedestal, 1/2" NPT, **Black**
- CX-601-VG 1" PVC Mounting Pedestal, 1/2" NPT, **Verde Green**
- CX-603-BK 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub on top, **Black**
- CX-603-VG 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub on top, **Verde Green**



- CX-604-BK 1" PVC Adjustable Mounting Pedestal, 1/2" NPT, **Black**
- CX-621-BK 1" PVC Cap, 1/2" NPT, **Black**
- CX-621-VG 1" PVC Cap, 1/2" NPT, **Verde Green**
- CX-622-BK 2" PVC Cap, 1/2" NPT, **Black**
- CX-622-VG 2" PVC Cap, 1/2" NPT, **Verde Green**
- CX-624-BK 3" PVC Cap, 1/2" NPT Female Brass Hub, **Black**
- CX-624-VG 3" PVC Cap, 1/2" NPT Female Brass Hub, **Verde Green**


Mounting Canopies

- CX-705B-AB Brass Flat Canopy, 1/2" NPT, **Antique Bronze**
- CX-709B-AB Brass Raised Canopy, 1/2" NPT, **Antique Bronze**
- CX-718B-AB 5" Brass Canopy, 3-Hole 1/2" NPT, **Antique Bronze**
- CX-719B-AB Brass Tree Mounting Bracket, 1/2" NPT, **Antique Bronze**
- CX-720-BR Brass Tree mount Canopy with 9" Rubber Strap stretches to 14, **Natural Brass**
- CX-721-BR Brass Tree mount Canopy with 15" Rubber Strap stretches to 22", **Natural Brass**
- CX-722-BR Brass Tree mount Canopy with 22" Rubber Strap stretches to 33", **Natural Brass**
- CX-723-BR Brass Tree mount Canopy with 31" Rubber Strap stretches to 45", **Natural Brass**



Ground Spikes



- CX-642-BK 8.5" ABS Spike, 1/2" NPT, **Black**
- CX-642-BZ 8.5" ABS Spike, 1/2" NPT, **Bronze**
- CX-643-BZ 8.5" ABS Spike, 1/2" NPT, **Bronze**



- CX-646-BK 8" ABS Spike, 1/2" NPT, **Black**
- CX-646-BR 8" ABS Spike, 1/2" NPT, **Natural Brass**
- CX-646-SS 8" ABS Spike, 1/2" NPT, **Stainless Steel**
- CX-647-BK 10.5" Heavy Duty ABS Spike, 1/2" NPT, **Black**

Mounting Risers

- CX-682B-AB 6" Brass Riser, 1/2" NPT Male/Female, **Antique Bronze**
- CX-683B-AB 12" Brass Riser, 1/2" NPT Male/Female, **Antique Bronze**
- CX-684B-AB 18" Brass Riser, 1/2" NPT Male/Female, **Antique Bronze**
- CX-685B-AB 24" Brass Riser, 1/2" NPT Male/Female, **Antique Bronze**



ACCESSORIES SHEET

PRODUCT # : CL-405-BT-AB


• Directional Lights

• Cast Brass

Mounting Posts For Sign Light & Path Light Applications

| | |
|------------|---|
| CX-678B-AB | 24" Brass Single Head Post, Antique Bronze |
| CX-679B-AB | 24" Brass Double Head Post, Antique Bronze |
| CX-690B-AB | 18" Brass Single Head Post, Antique Bronze |
| CX-693B-AB | 18" Brass Double Head Post, Antique Bronze |

•CX-718B-AB (Mounting Canopies pg 2) is required for sign light installation.



Cable Connectors

| | |
|--------|--|
| CX-854 | Direct Burial Silicone Filled Wire Nut, Tan |
| CX-858 | Speedy Cable Connector, Supply Cable up to 10-2, Black |
| CX-839 | Universal cable connector, Supply cable up to 8-2, one/Pack Black |



Reflectors (Free Pack-in)

| | |
|-----|----------------|
| 15D | 15 ° Reflector |
| 60D | 60 ° Reflector |



15D

60D